

ALSTON & BIRD LLP

One Atlantic Center
1201 West Peachtree Street
Atlanta, GA 30309-3424

404-881-7000
Fax: 404-253-8476
www.alston.com

Douglas S. Arnold

Direct Dial: 404-881-7637

Email: doug.arnold@alston.com

June 21, 2012

VIA EMAIL

Ms. Cynthia L. Hutchinson
Waste Remediation and Permitting Branch
Air and Waste Management Division
United States Environmental Protection Agency, Region 7
901 North 5th Street
Kansas City, KS 66101

Re: Work Plan for Supplemental Soil and Groundwater Assessment
Electrolux, Jefferson, Iowa

Dear Ms. Hutchinson

I am writing in response to your certified letter, dated June 8, 2012, providing additional EPA comments on the Work Plan for Supplemental and Groundwater Assessment, which Golder Associates prepared on behalf of our client, Electrolux. As you know, Electrolux submitted the Work Plan to EPA on January 27, 2012 and started work on April 16, 2012. Per my most recent update to you, Golder completed the field work phase of the project in May and is currently working on a report of its findings.

Because of the timing of your letter, Electrolux will not be able to adjust the Work Plan because all of the work set out in the plan has already been completed. However, Electrolux remains committed to continuing to work with EPA in a cooperative manner with respect to any future submittals.

Sincerely,

Douglas S. Arnold

DSA:crc

cc: Dr. Cal Lundberg, IDNR
John A. Heer, Esq.
Alistair Macdonald
James Peace

RCRA



516201